



niles non-provisional-US corrected 6-9-04

SEQUENCE LISTING

<110> Niles, Edward

<120> Novel Inhibitors of Poxvirus Replication

<130> 11520.0333

<140> US 10/750,939

<141> 2004-01-02

<150> US/60/437,945

<151> 2003-01-02

<160> 20

<210> 1

<211> 7

<212> RNA

<213> Artificial Sequence

<220>

<221> unsure

<222> 6

<223> pox virus; n is g,a,u or c

<400> 1

uuuuuuu 7

<210> 2

<211> 7

<212> DNA

<213> artificial sequence

<220>

<223> nascent pox virus termination signal

<400> 2

ttttttt 7

<210> 3

<211> 22

<212> RNA

<213> artificial sequence

<220>

<221> unsure

<222> 14

<223> U5NU-22-mer oligo; n is g,a,u or c

<400> 3

gggccggcuu uuunuuugcg uu 22

<210> 4

<211> 22

<212> RNA

<213> artificial sequence

<220>

<223> mutant- 22-mer oligo

niles non-provisional-US corrected 6-9-04

<400> 4  
gggccggcaa uuauuugcg uu 22

<210> 5  
<211> 36  
<212> RNA  
<213> artificial sequence

<220>  
<221> unsure  
<222> 23  
<223> pGEM-U5NU-36-mer oligo n is g,a,u or c

<400> 5  
gggcgaauug ggccggcuuu uuuuuugcgu ugaauu 36

<210> 6  
<211> 36  
<212> RNA  
<213> artificial sequence

<220>  
<221>  
<222>  
<223> pGEM-Br-U5NU-36-mer; uracils at 8,9,18-26, 30, 31, 35 and 36 are brominated

<400> 6  
gggcgaauug ggccggcuuu uuuuuugcgu ugaauu 36

<210> 7  
<211> 27  
<212> DNA  
<213> artificial sequence

<220>  
<223> transcription template plasmid oilgo

<400> 7  
aattgggccg gctttttttt tgcgttg 27

<210> 8  
<211> 22  
<212> DNA  
<213> artificial sequence

<220>  
<221>  
<222>  
<223> du5NdU oligo; 9-17 is deoxyuracil

<400> 8  
gggccggcuu uuuuuuugcg uu 22

<210> 9  
<211> 22  
<212> RNA  
<213> artificial sequence

niles non-provisional-US corrected 6-9-04

<220>

<221>

<222>

<223> Brdu5Ndu oligo; 19-17 is brominated deoxyuracil

<400> 9

.gggccggcuu uuuuuuugcg uu 22

<210> 10

<211> 22

<212> DNA

<213> artificial sequence

<220>

<221>

<222>

<223> T5NT

<400> 10

gggccggcctt tttttttgcg uu 22

<210> 11

<211> 22

<212> DNA

<213> artificial sequence

<220>

<221>

<222>

<223> mutant T5NT

<400> 11

gggccggcaa ttattatgcg tt 22

<210> 12

<211> 17

<212> RNA

<213> artificial sequence

<220>

<221> unsure

<222> 10

<223> U5NU 17-mer oligo; n is a,g,u or c

<400> 12

cgguuuuuun uuugcgu 17

<210> 13

<211> 13

<212> RNA

<213> artificial sequence

<220>

<221> unsure

<222> 8

<223> U5NU-13-mer oligo; n is a,g, u or c

<400> 13

gcuuuuuuuu ugc 13

<210> 14

niles non-provisional-US corrected 6-9-04

<211> 9  
 <212> RNA  
 <213> artificial sequence

<220>  
 <221> unsure  
 <222> 7  
 <223> U5NU-9-mer oligo; n is a,g,u or c  
 <400> 14  
 uuuuuuuuu 9

<210> 15  
 <211> 7  
 <212> RNA  
 <213> artificial sequence

<220>  
 <221> unsure  
 <222> 6  
 <223> U5NU-7-mer oligo; n is a,g,u or c  
 <400> 15  
 uuuuuuu 7

<210> 16  
 <211> 7  
 <212> RNA  
 <213> artificial sequence

<220>  
 <221>  
 <222>  
 <223> mutant 7-mer

<400> 16  
 uuuuuuau 7

<210> 17  
 <211> 22  
 <212> DNA  
 <213> artificial sequence

<220>  
 <221> unsure  
 <222> 14  
 <223> DNA-U9-DNA oligo; n is g,a,u or c; 1-8 and 18-22 are DNA

<400> 17  
 gggccggcuu uuuuuuugcg uu 22

<210> 18  
 <211> 22  
 <212> RNA  
 <213> artificial sequence

<220>  
 <221> unsure  
 <222> 14  
 <223> 2-prime-O-Me-RNA-PT-U9-2-prime-O-Me-PT-RNA oligo; n is g,a,u or c; 1-8 and 18-22 are 2-prime-O methylated; 1-8 and 17-22 have phosphorothioate bonds

niles non-provisional-US corrected 6-9-04

<400> 18  
gggccggcuu uuuuuuugcg uu 22

<210> 19

<211> 22

<212> DNA

<213> artificial sequence

<220>

<221> unsure

<222> 14

<223> PT-DNA-U9-PT-DNA oligo; n is g,a,u or c; 1-8 and 18-22  
are phosphorthiols; 9-17 are RNA

<400> 19  
gggccggcuu uuuuuuugcg uu 22

<210> 20

<211> 7

<212> RNA

<213> artificial sequence

<220>

<223> U5AU oligo

<400> 20  
uuuuuuu 7